

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## INDEX TO GENERA, SPECIES, ETC., DESCRIBED AND REFERRED TO IN THE PROCEEDINGS FOR 1914.

Species described as new are indicated by heavy-faced, synonyms by italic numerals.

| Abramis crysoleucas346, 349, 354, 657 | Amauris 179                                     |
|---------------------------------------|-------------------------------------------------|
| Acanthaclisis                         | Ambloplites rupestris                           |
| americana                             | Amblycorypha floridana 398                      |
| fallax 618                            | oblingifolia 520                                |
| hesperus                              | perdita 636                                     |
| texana 618                            | rotundifolia 520                                |
| Acanthinula harpa 223                 | uhleri399, 520                                  |
| Acanthocharax 252                     | Amblytropidia occidentalis                      |
| Acaropsis nasa 277                    | Ameiurus catus                                  |
| Acestrorhynchus falcirostris          | melas                                           |
| Achatinidæ                            | natalis                                         |
| Achirus lineatus                      | nebulosus346, 351, 354, 357                     |
| Acilius 549                           | Amiatus calvus                                  |
| Acipenser sturio347, 354              | Amnicola 209, 210                               |
| Acræa                                 | Amnicolidæ                                      |
| terpischore                           | Anagenesia greeni 612                           |
| Acræinæ                               | Anaxipha pulicaria                              |
| Acratoleon                            | Anchovia mitchilli 354                          |
| flavum                                | Ancistrus hoplogenys                            |
| Acrididæ                              | Andesite                                        |
| Adelphomyia minuta 591                | Andrena 328                                     |
| Epeomys vulcani                       | clavula                                         |
| Æquidens tetranemus                   | grandipes 64                                    |
| Æschnosoma rivertonensis 606          | hypolitha                                       |
| Ageneiosus brevifilis                 | percontusa                                      |
| ogilviei                              | sepulta                                         |
| Agriolimax agrestis                   | vicina                                          |
| campestris var. montanus 370          | Angara                                          |
| Akodon mollis altorum                 | Anguilla chrisypa, 342, 346, 348, 354           |
| Alepidophora                          | Anguma emisypa, 342, 340, 348, 354              |
|                                       | Anguis ruffa29                                  |
| pealei                                | Aniguis runa                                    |
| Alligator mississippiensis            | Anisitsia notata 23<br>Anisolabis annulipes 370 |
| colombia                              | maritima 37                                     |
| internata                             | Anisomorpha buprestoides                        |
| nigriceps                             | Anodonta                                        |
|                                       | Allouonia 21                                    |
| nigrilabris 623                       | cataracta 22                                    |
| palliceps                             | Anodus ciliatus                                 |
| riveti                                | Anosia                                          |
| titan                                 | plexippus180, 18                                |
| torquatus 624                         | Anostomus                                       |
| varia                                 | anostomus                                       |
| vigoi                                 | Apatite                                         |
| Alopias vulpes 342                    | Apeltes quadracus346, 35                        |
| Alosa sapidissima348, 354, 356        | Aphænogaster                                    |

|                                   | 000    | TD1                                             |              |                  |
|-----------------------------------|--------|-------------------------------------------------|--------------|------------------|
| Aphænogaster aquia                |        | Blennius fucorum                                |              |                  |
| Apis328                           | , 551  | stearnsi                                        | ಲೆ           | 540<br>) # 0     |
| mellifica                         | 000    | Boleosoma nigrum                                |              | )<br>)<br>  E C  |
| Apistogramma ortmanni             |        | n. olmstedi346<br>Bombus                        | ა, აა⊿, ა    | ) UC             |
| o. rupununi                       | 353    | sp                                              |              |                  |
| Aplodinotus grunniens             | 397    | Brevoortia tyrannus                             |              | 25/              |
| Apotettix                         | 388    | Brycon falcatus                                 | 9            | 250              |
| convexus                          |        | Bulimulidæ                                      |              |                  |
| rugosus                           |        | Bulimulus guadaloupensis                        | ⊿            | 13(              |
| Aptenopedes aptera                |        | Runocenhalus amaurus                            | 3            | 255              |
| clara                             |        | Bunocephalus amaurusgronovii                    |              | 255              |
| Archonias                         |        | Bythinella 210                                  | 212 2        | 213              |
| Arethæa70                         |        | antiguensis                                     | 9, 212, 2    | 112              |
| phalangium                        |        | and gardens.                                    |              |                  |
| Argynnis diana168, 170            |        | G ""                                            |              |                  |
| paphia                            |        | Cæcilius posticus                               | <del>G</del> | 512              |
| valesina                          |        | umbrosus                                        |              |                  |
| Arion circumscriptus              |        | Cænolestes                                      | 9,           | 13               |
| Aristolochia                      |        | fuliginosusobscurus                             |              | 17               |
| Arphia granulata                  | 393    | obscurus                                        | 17,          | 15               |
| sulphurea393                      | . 495  | Calcite                                         | 4            | Ł, 5             |
| xanthoptera                       | 495    | Callibætis pretiosa                             | t            | 110              |
| Ascalaphidæ                       |        | semicostata                                     | t            | 014              |
| Asilus peritulus                  |        | Callichthys callichthys                         | 2            | 27(              |
| wickhami                          |        | Callistoleon                                    | (            | )22              |
| Astyanax rupununi                 |        | Cambarus bartonii                               | Ç            | 100              |
| wappi                             | 244    | Campula pellucida<br>Camponotus, 296, 298, 301, | 4            | 198              |
| Atlanticus dorsalis               |        | Camponotus, 296, 298, 301,                      | 303, 3       | 04               |
| glaber                            |        | 306, 308, 309, 312, 320                         | , 321, 3     | 27               |
| pachymerus                        |        | mela                                            | 328, 5       | 248              |
| Atlasacris                        |        | mela                                            | 327, 8       | 331              |
| Atopichthys                       |        | pennsylvanicus29                                | 0, 315, §    | 331              |
| Auchenipterus demeraræ            |        | Campostoma anomalum                             |              | 5 <del>4</del> 8 |
| Augite 4                          | . 5. 8 | Canthocamptus                                   | 53,          | 56               |
| Auriculidæ                        |        | Carabus                                         |              |                  |
|                                   |        | Caranx hippos                                   | ف            | 34 (             |
| D . 1. II . I                     | 240    | Carpiodes thompsoni                             |              | วอเ              |
| Bairdiella chrysura               |        | Carychium exiguum                               | 2            | 4Z(              |
| Basalt                            |        | Catoprion mento                                 | 246 2        | 40<br>40         |
| Belocephalus sabalis              | 401    | Catostomus commersonii,                         | 040, o       | 49               |
| Berchmansus                       | 647    | nimicona                                        | 350, 3       | )<br>) [ ]       |
| Bibio albipennis                  |        | nigricans                                       |              |                  |
| atavus                            |        | Ceratinoptera diaphana                          |              |                  |
| wickhami                          |        | lutea                                           |              | ひんと              |
| Bifidaria pentodon223             |        | Ceropalesfraterna                               | é            | 200              |
| servilis                          |        | Coutonbilus noninculoris                        |              | 002<br>406       |
| Biotite                           | 201    | Ceutophilus peninsularisspinosus                | 4            | #UC              |
| Blaberus atropos375, 377          |        | Chmtagorea                                      | 210          | もして              |
| Blaps mortisaga                   |        | Chætoceros                                      | 419, 4       | 220              |
| Blarina meridensis1               |        | compactumelmorei                                |              | 2 <u>4</u> (     |
| osgoodi1                          |        | gimilo                                          |              | 216              |
| squamipes                         |        | simile<br>wighamii                              | 4            | )<br>) [ (       |
| thomasi9, 1                       |        | Chætodipterus faber                             | 4            | 516<br>516       |
| Blattalævigata                    |        | Chalceus labrosus                               | ٠ و          | ノエし              |
| orientalis                        |        | macrolepidotus                                  | 4            | といし              |
| Blattella (Neoblatella) adspersi- | 014    | Chalcinus angulatus                             | 4            | 250              |
| collis                            |        | Characidium blennioides                         | 4            | 225              |
| germanica378, 379                 |        | catenatum                                       |              |                  |
| Blattidæ                          | 302    | etheostoma                                      | 4            | )Q.              |
| Blattidæ3/4                       | , 0.50 | f                                               | 2            | 200              |

| Chasmocranus longior          | 258 | Conocephalus hoplomachus        | 1.05                 | <b>4</b> 0   |
|-------------------------------|-----|---------------------------------|----------------------|--------------|
| Chilodus labyrinthicus        |     | lyristes                        | 523                  | 52           |
| l. rupununi                   |     | nebrascensis                    |                      |              |
| Chilomycterus schæpfi         | 342 | palustris                       |                      |              |
| Chlorite                      |     | robustus                        |                      |              |
| Chorisoneura plocea           | 374 | triops                          |                      |              |
| Chortophaga australior        | 303 |                                 |                      |              |
|                               |     | Corydia                         |                      |              |
| cubensisviridifasciata        |     | (Holocompsa) collaris           |                      |              |
|                               |     | (Holocompsa) cyanea             | 8                    | 38.          |
| Chromoteleia                  |     | Cosmodesmus                     |                      |              |
| semicyanea                    |     | Cottus gracilis                 | :                    | 35           |
| Chrysis tridens               |     | ictalops                        | 8                    | 35           |
| Chrysoleon                    |     | Creagris                        | (                    | 32           |
| Chrysopa asoralis             |     | Crenicichla alta                | 280, 2               | 28           |
| azygota <b>628</b> ,          |     | lugubris                        |                      | 28           |
| breviata                      |     | pterogramma                     | 9                    | 28           |
| chacranella                   |     | saxatilis                       |                      |              |
| figuralis                     |     | Cryptoptilum antillarum         | 376, 4               | 410          |
| faceta                        |     | trigonipalpum                   |                      |              |
| hesperina                     | 628 | Curimata                        | 5                    | 229          |
| ilota <b>629</b> ,            | 630 | Curimatus                       |                      |              |
| incalis                       | 627 | ciliatus                        |                      | 23           |
| isolata                       | 630 | cyprinoides                     | 220                  | 23           |
| læva                          |     | spilurus                        | 220, 2               | 23           |
| morota629                     |     | G 1 11                          |                      | 201          |
| posina                        |     | Cyclopidæ                       | .20, 28,             | , 3          |
| tagalica                      |     | Cyclops                         | 20-                  | -60          |
|                               |     | albidus20,                      |                      |              |
| Cichle collegia               | 900 | annulicornis                    |                      |              |
| Cichla ocellaris              | 200 | ater                            |                      | 6            |
| Cichlasoma severum            |     | bicolor                         | .21, 41,             | , 4:         |
| Cimbex                        |     | bicuspidatus, 20, 21, 24, 2     | <i>24,</i> 25,       | 26           |
| americana                     |     | capilliferus                    | 40, 56,              | , 5          |
| Circotettix verruculatus      |     | capilliferus                    |                      | 3            |
| Cistula                       |     | 0010114045                      |                      |              |
| antiguensis                   |     | fimbriatus var. poppei,         | 20.                  | 23           |
| Cladius pectinicornis         |     | 53~                             | -55, 57-             | -6           |
| petrinus641,                  |     | forbesi                         |                      | 2.           |
| Cladura                       |     | fluviatilis                     |                      | 4            |
| delicatula                    |     | fuscus20, 26-28,                | 30-36,               | 5            |
| flavo-ferruginea              |     | leuckarti                       |                      | 4            |
| indivisa                      | 589 | magnoctavus                     |                      | 4            |
| Clinocephalus elegans pulcher | 392 | minnilus                        |                      |              |
| Clisiocampa neustria          |     | modestus, 21, 23, 37, 37        | 7. 38.               | 40           |
| Cobitiglanis                  | 268 | ,,,,,,,,                        | 46,                  |              |
| Cochlicopa lubrica223,        |     | navus                           | 24                   | 2            |
| Colobostylus                  |     | perarmatus                      | 48                   | 5            |
| Colomesus psittacus           |     | phaleratus, 20–22, 43, 43       | 8 <i>18</i>          | 52           |
| Columella alticola            | 370 | pharciatus, 20 22, 10, 1        | 53,                  | 61           |
| edentula223,                  |     | poppei                          | 52 54                | Ę            |
| Compsoleon                    |     | prasinus, 20, 21, 30, 37, 3     | 00, 0 <del>1</del> , | 47           |
|                               |     | prasmus, 20, 21, 30, 31, 3      | 10, 40,              |              |
| Conocephaloides               |     | mulah allua                     |                      | 60<br>2.     |
| Conocephalus atlanticus       |     | pulchellus                      |                      | z.           |
| bruneri                       |     | rubellus                        |                      | 4            |
| caudellianus                  |     | serratus                        |                      | , Z          |
| conspersa                     |     | serrulatus20,                   |                      |              |
| elegans                       |     | signatus                        | .20, 26,             | , Z          |
| ensiger                       |     | s. annulicorniss. coronatus,26, | 28,                  | , <u>3</u>   |
| exiliscanorus                 |     | s. coronatus,26,                | <i>z</i> 7, 27-      | -2           |
| fasciatus                     |     | s. tenuicornis                  | .27, 29,             | , <u>3</u> . |
| fusco-striatus402,            |     | tenuicornis                     |                      | 3            |
| gracilliums                   | 407 | thomasi                         | 21                   | 2            |

| Cyclops varicans, 20, 21, 23, 41, 41, 42,                    | Dichopetala pollicifera, 66–68, 71, 72                          |
|--------------------------------------------------------------|-----------------------------------------------------------------|
| 44, 60                                                       | 74, 89, 143, 149                                                |
| viridis var. insectus20, 23, 59, 60                          | pulchra                                                         |
| Cyclophoridæ                                                 | serritera00, 07, 71, 72, 32, 36                                 |
| Cycloptilum zebra                                            | tauriformis65-67, 71-73, 143 tridactyla, 66, 67, 69, 71, 73, 74 |
| Cylindrophis                                                 | 140 155 156 15                                                  |
| isolepis                                                     | 149, 155, 156, 157<br>Dichromorpha viridis                      |
| lineatus                                                     | Dicranomyia cinerea                                             |
| opisthorhodus                                                | curvivena                                                       |
|                                                              | nelliana                                                        |
| rufus                                                        | pubipennis                                                      |
| anomala 603                                                  | reticulata                                                      |
| juncta                                                       | simulans                                                        |
| splendens                                                    | Dicranota argentea                                              |
| tarsalis                                                     | eucera                                                          |
| Cynodon gibbus                                               | pallida <b>599</b> , 60                                         |
| Cynoscion regalis342, 355                                    | rivularis                                                       |
| Cyphocharax230                                               | Didelphis marsupialis 17                                        |
| Cyprinus carpio                                              | m. colombica                                                    |
| Cyrtoxipha gundlachi375, 376, 412                            | Diorite                                                         |
| Cyrtoxipila guildiacii575, 576, 412                          | Dismorphia                                                      |
|                                                              | Dissosteira carolina                                            |
| Danaida193, 194                                              | Distoleon 622                                                   |
| berenice179, 184, 192                                        | Doras costatus. 263                                             |
| genutia 193                                                  | hancocki 264                                                    |
| plexippus, 164, 165, 177, 179, 181,                          | Dorosoma cepedianum                                             |
| 182, 184, 193                                                | Drosophila ampelophila                                          |
| strigosa179–182, 188, 189, 192                               | Drymæus elongatus                                               |
| Danainæ163, 165, 166, 177, 179, 193                          | Dytiscus 549                                                    |
| Danais 550                                                   | Dy tiscus                                                       |
| plexippus                                                    | 77.1.1                                                          |
| Dasyatis say 342                                             | Echthomyrmex 62                                                 |
| Delias                                                       | Eigenmannia virescens                                           |
| Dendroleon                                                   | Electrophorus electricus                                        |
| jaranus 617                                                  | Ellipes minuta                                                  |
| Dendroleonini                                                | Elliptera alexanderi                                            |
| Dendrotettix quercus 509                                     | Empis florissantana                                             |
| Dentalium 540                                                | miocenica                                                       |
| Diabase                                                      | Encoptolophus sordidus                                          |
| Dibothrium ligula                                            | Enneacanthus gloriosus352, 352                                  |
| Dichopetala                                                  | Eotettix palustris                                              |
| brevicauda70, 105, 114                                       | signatus                                                        |
| brevihastata, 66–74, 95, 104, 105,                           | sylvestris                                                      |
| 114, 115, 116, 124, 130, 138, 139                            | Ephemerella excrucians                                          |
| castanea, 66–69, 71, 72, 74, 95,                             | vernalis                                                        |
| 107, 113, 130                                                | Ephippicharax orbicularis                                       |
| catinata, 66–69, 71, 73, 74, 131, 138, 139, <b>139</b> , 141 | Epicanthaclisis 62                                              |
|                                                              | Epimys norvegicus                                               |
| caudelli, 66, 67, 71, 73, 74, 149, 155                       | rattus                                                          |
| durangensis66-69, 71-73, 85                                  | Epiphlebus 64                                                   |
| emarginata, 64, 66-70, 72, 74, 78,                           | Episalus 621<br>Epithemia 220                                   |
| 105, 114, 116, 124, 125                                      |                                                                 |
| falcata, 66–69, 71–73, <b>79</b> , 85, 143, 149              | Ericiidæ                                                        |
|                                                              | Erimyzon succetta oblongus                                      |
| gladiator, 66–68, 71, 72, 74, 95, <b>116</b> , 130           | Erinyzon succetta obiongus                                      |
| lævis68, 70, 71, 105, 115                                    | celata 642                                                      |
| massaiæ                                                      | ovata                                                           |
| mexicana, 64, 66, 67, 69–71, 73,                             | pristina                                                        |
| 74, 78                                                       | scudderi 642                                                    |
| oreœca, 66–68, 71, 72, <b>131</b> , 139–141                  | synthetica                                                      |
| 0100000, 00 00, 11, 12, 101, 100 1TT                         | ~j 11 011 0 01 0 01 1 0 11 2                                    |

| Ti                                                                | C11                                      | 001        |
|-------------------------------------------------------------------|------------------------------------------|------------|
| Eriocampa wheeleri                                                | Glenoleon                                |            |
| Eriocera fuliginosa 602                                           | Gomphonema                               |            |
| fultonensis 602                                                   | Gonatista grisea                         | 383        |
| tristis 602                                                       | Gonomyia                                 | 589        |
| Eriogaster lanestris 164                                          | (Leiponeura) alexanderi                  | 587        |
| Erioptera (Empeda) alicia 585                                     | (Gonomyia) blanda                        | 586        |
| (Erioptera) dorothea 584                                          | (Empeda) caudata                         |            |
| (Mesocyphona) eiseni 583                                          | (Leiponeura) cinerea                     |            |
| (Mesocyphona) immaculata 583                                      | manca587,                                |            |
| (Erioptera) lucia                                                 | (Conomyia) observe                       | 506        |
|                                                                   | (Gonomyia) obscura                       | 500<br>507 |
| (Erioptera) microcellula 585                                      | (Leiponeura) puer                        | 201        |
| nigrolineata 586                                                  | (Leiponeura) sacandaga                   | 587        |
| (Mesocyphona) rubia 583                                           | slossonæ                                 | 588        |
| stigmatica586, 591                                                | Gonzaga torquatus                        | 624        |
| Eritettix carinatus                                               | Granite                                  |            |
| Erythrinus unitæniatus 254                                        | Grapta (Eugonia)                         |            |
| Esox americanus351, 357                                           | Gryllidæ374,                             | 410        |
| reticulatus351, 354, 357                                          | Gryllodes sigillatus375,                 | 111        |
| Etheostoma flabellare 353                                         | Gryllus firmus                           | 411<br>411 |
| Euconulus fulvus                                                  | Grynus iirinus                           | 411<br>411 |
| f. alaskensis                                                     | rubens                                   |            |
| Eucyclops 45, 60                                                  | Gymnocanthus tricuspis                   | 360        |
| Euroice transpagning animagus 260                                 | Gymnocorymbus nemopterus                 | 247        |
| Eumicrotremus spinosus                                            | thaveri                                  | 250        |
| Eupatagus clevei                                                  | Gymnorhamphichthys hypostom              | us,        |
| mooreanus 206                                                     |                                          | 255        |
| Euplœa 550                                                        |                                          |            |
| Eupomotis gibbosus346, 352, 358                                   | Habrophlebia americana                   | 614        |
| Eurycotis floridana                                               | jocosa                                   |            |
| Evania appendigaster 330                                          | Hagenomyia                               |            |
| Exodon paradoxus                                                  | Halomenia 538-                           | 540        |
| Exoglossum maxillingua350, 357                                    | gravida535,                              |            |
|                                                                   | Hapithus quadratus                       | 412        |
| Feldspar4, 6, 7                                                   | Hapithus quadratus<br>Harttia platystoma | 274        |
| Felichthys marinus                                                | Helicidæ                                 | 420        |
| Fistularia tabacaria342, 346                                      | Helicina                                 |            |
| Forfigulide 274 276                                               | crosbyi                                  |            |
| Formias 207 208 200 205 210 227                                   |                                          |            |
| Formica, 297, 298, 300, 305–319, 327, 328, 549                    | Helicinidæ<br>Helicodiscus parallelus    | 201        |
| obscuriventris296, 331                                            |                                          |            |
|                                                                   | Heliconinæ                               | 100        |
| rufa 336                                                          | Heliomyza limbata                        | 644        |
| Fragilaria                                                        | Helix hortensis                          | 222        |
| Fulgur                                                            | Hemichroa eophila                        | 641        |
| cavaliculatum, 570, 571, 573, 575-                                | Hemiodus quadrimaculatus                 | 233        |
| 577                                                               | semitæniatus                             | 233        |
| coronatum570-577                                                  | Hemisinus210-                            | 213        |
| incile570, 574–578                                                | antiguensis210,                          | 213        |
| pyrum570–575, 577, 578                                            | cubanianus                               | 211        |
| rugosum570-577                                                    | latus                                    | 211        |
| spiniger 569                                                      | siliceus211-                             | 213        |
| Fundulus diaphanus346, 351, 355, 358                              | Hemisorubim platyrhynchos                |            |
| heteroclitus macrolepidotus, 342,                                 | Hemphillia camelus                       | 260        |
| 346, 351, 354                                                     | danielsi                                 | 900<br>970 |
| 346, 351, 354<br>majalis354                                       | dameisi                                  | 0/0        |
| Furcomyia reticulata 580                                          | glandulosa                               | 500        |
| 2 42 00111 2 42 0010 42 40 41 11 11 11 11 11 11 11 11 11 11 11 11 | Hepialus hecta                           |            |
| Contornations application 242 255 265                             | Heptagenia carolina                      | PIG        |
| Gasterosteus aculeatus343, 355, 365                               | coxalis                                  | 010        |
| Geophagus jurupari                                                | subæqualis                               | 015        |
| surinamensis                                                      | Hesperidæ<br>Hesperocharis               | 170        |
| Geron                                                             | Hesperocharis                            | 177        |
| gibbosus                                                          | Hesperomys minutus                       | 10         |
| platysoma643                                                      | Hesperotettix brevipennis                | 506        |
| 45                                                                |                                          |            |

| Heterocharax252                |                                    | 264              |
|--------------------------------|------------------------------------|------------------|
| Heteromyiella 645              | Leptophlebia assimilis             | 614              |
| miocenica637, <b>644</b>       | præpedita 6                        | 314              |
| senilis 644                    | Leptysma marginicollis 3           | 394              |
| Heteromyza senilis 644         | Lepus andinus                      | 15               |
| Heterotropus glaucus 643       | Lepus andinus                      | 354              |
| Hexagenia callineura 613       | Lerneoceropsis septemramosus 3     | 347              |
| Hippiscus apiculatus           | Lethotremus armouri                | 363              |
| compactus 500                  | mcalpini                           | 360              |
| phœnicopterus 499              | muticus 8                          | 362              |
| rugosus 500                    | vinolentus 3                       | 364              |
| tuberculatus 499               | Leucichthys artedi 3               | 348              |
| Hippocampus hudsonius342, 355  | Leuciscus elongatus 3              | 349              |
| Holocompsa collaris            |                                    |                  |
| cyanea                         | Leucochrysa apicalis               | 325              |
| nitidula375, 380–382           | azevedoi6                          | 325              |
| Homorocoryphus malivolans 405  | callota                            | 32f              |
| Hoplias malabaricus            | cinctipes                          | 624              |
| Hoplolabis                     | marginalis                         | 825              |
| Hoplosternum thoracatum        | submacula                          | 826              |
| Hornblende                     | Leucophasia 172, 1                 |                  |
| Hybopsis kentuckiensis350, 357 | Leurolestes                        | ₹70              |
| Hydrocynus cuvieri             | pallida                            | 775              |
| Hygromia hispida               | pallidus                           | 370              |
| Hyracodon fuliginosus          |                                    |                  |
| Tryracodon rungmosus 17        |                                    | 193              |
| T. 1 1: ' 050                  | (Basilarchia) archippus, 178, 1    | 80,              |
| Icelus bicornis                |                                    |                  |
| Ichthyomys söderströmi         |                                    | 191              |
| Ilysia scytale                 |                                    |                  |
| Indoleon 622                   | arizonensis191, 1                  | 192              |
| Ischnochiton                   | astyanax168, 190-1                 | 192              |
| Ischnoptera                    | floridensis, 179, 182, 184, 188, 1 |                  |
| blattoides                     |                                    | 192              |
| deropeltiformis                | hulsti182, 1                       |                  |
| rufescens375, 378              | lorquinii188, 191, 1               | 192              |
| uhleriana fulvescens           | Limenitis obsoleta180-1            | 192              |
| Isoperla texana 611            | proserpina 1                       | 192              |
| Ithomiinæ164, 166, 177         | (Basilarchia) weidemeyeri, 1       | 78,              |
| * 11 1                         | 182-1                              | 192              |
| Jasoniades glaucus 170         | Limnas 1                           | 193              |
|                                | Limnophila 5                       |                  |
| Labia brunnea 377              | adusta 5                           | 594              |
| curvicauda374, 377             | albipes 5                          | 590              |
| minor                          | alleni 5                           |                  |
| Labidura bidens 377            | (Ephelia) aprilina 5               |                  |
| Lagodon rhomboides 343         | areolata 5                         |                  |
| Lampetra æpytera 347           | contempta 5                        | 593              |
| Larropsis distincta            | costata5                           | 595              |
| Layahima 621                   | cubitalis 5                        |                  |
| Lepisosteus osseus354, 356     | emmelina                           | 597              |
| o. huronensis                  | fulvocostalis5                     | 595              |
| Lepomis auritus352, 358        | fulvocostalis                      | $\tilde{92}$     |
| incisor                        | inornata5                          | $59\overline{3}$ |
| Leporellus vittatus            | insulana5                          |                  |
| Leporinus alternus             | (Ephelia) johnsoni 5               | $\tilde{91}$     |
| conirostris                    | luteipennis                        | 93               |
| desmotes 239                   | nigripleura                        | $\tilde{93}$     |
| friderici                      | novæ-angliæ5                       | $\tilde{94}$     |
| nigrotæniatus                  | novaboracensis 5                   | 93               |
| paralternus                    | osborni <b>596</b> , 5             | $\tilde{97}$     |
| paralternus                    | quadrata 596, 5                    | 97               |

| Limnophila rufibasis       |     | Melanoplus luridus             | <b>.</b>  | 513 |
|----------------------------|-----|--------------------------------|-----------|-----|
| stanwoodæ <b>595</b> ,     |     | mancus                         |           |     |
| subcostata                 |     | minor                          |           |     |
| superlineata               |     | puer                           |           |     |
| Liparis tunicatus          |     | punctulatus                    |           |     |
| Lithoxus                   | 271 | scudderi                       |           |     |
| Lobates surinamensis       | 346 | stonei                         |           |     |
| Longurio                   | 605 | tribulus                       |           |     |
| minimus                    |     | Melipona                       |           | 551 |
| testaceus605,              | 606 | Meloe                          |           | 549 |
| Lophius piscatorius342,    | 356 | Melolontha                     |           | 335 |
| Lophopsetta maculata       | 356 | Menidia beryllina cerea        |           | 355 |
| Loricaria microdon         | 274 | menidia notata                 |           |     |
| rostrata                   | 276 | Menticirrhus saxatilis3        | 342,      | 355 |
| Loricariichthys acutus     | 274 | Mermiria intertexta389, 3      | 90,       | 392 |
| griseus                    |     | maculipennis                   |           |     |
| Lucania parva              | 355 | vigilans                       |           | 487 |
| Lucilia cæsar              | 336 | Mesonauta festivius            |           | 277 |
| Lycodalepis polaris        | 365 | Mesoplodon bidens4             | 37.       | 440 |
| Lymnæa humilis modicella   | 226 | densirostris4                  |           |     |
| palustris                  | 225 | Mica                           |           | 5   |
| •                          |     | Microcentrum laurifolium       |           | 521 |
| 3.6                        | 274 | retinerve                      |           |     |
| Macneillia obscura         |     | rhombifolium3                  | 399.      | 521 |
| Macrocyclops26             |     | rostratum                      | ,         | 400 |
| Macroneura argentilineatum |     | Microcline                     |           | 8   |
| fragilis                   |     | Microcyclops                   |           | 41  |
| lineatum                   |     | Microgaster 3                  |           |     |
| parvum                     |     | mamestræ                       |           |     |
| picteli                    |     | Micropogon undulatus           | ••••      | 250 |
| Macronemurini              |     | Micropterus dolomieu           | • • • • • | 200 |
| Macronemurus               |     | wieropterus dolomieu           | •••••     | 352 |
| darwini                    |     | salmoides                      | ••••      | 332 |
| Macrophyla flavicoxæ       |     | Miogryllus saussurei           | •••••     | 411 |
| Macroteleia                |     |                                |           |     |
| Macroxus irroratus         |     | Moenkhausia chrysargyrea       |           |     |
| Magnetite                  |     | c. leucopomis                  | •••••     | 244 |
| Mallaspis antennatus       | 200 | Monacanthus hispidus           | •••••     | 342 |
| Manomera brachypyga384,    | 386 | Monobia                        |           | 620 |
| tenuescens384-             |     | quadridens                     |           |     |
| Mantidæ374,                |     | Monoculus quadricornis albidus |           |     |
| Mantoida                   |     | q. fuscus                      |           | 26  |
| maya375,                   |     | Morone americana               | 555,      |     |
| Mazama americana           | 15  | Moschus americanus             |           | 15  |
| nemorivagus                | 15  | Moxostoma breviceps            |           |     |
| rufus                      | 16  | macrolepidotum                 |           |     |
| Mecostethus lineatus       |     | Mus musculus                   |           |     |
| Megachile brevis           |     | norvegicus                     |           | 10  |
| Megalonema platycephalum   |     | rattus                         |           | 10  |
| rhabdostigma               |     | Mustela aureoventris           |           | 16  |
| Megarhyssa                 |     | auriventer                     |           | 16  |
| lunator                    | 330 | Mustelus canis                 |           |     |
| Melampus209,               |     | Mycomya cockerelli6            |           |     |
| coffea                     | 431 | lithomendax                    |           |     |
| Melania209, 210,           | 211 | mendax                         |           |     |
| Melanoplus atlanis         | 511 | obliqua                        |           | 648 |
| differentialis             |     | Mylophus rubripinnis           |           | 251 |
| fasciatus                  |     | Myocharax                      |           |     |
| femoratus                  |     | Myoxocephalus grænlandicus     | ••••      | 359 |
| femur-rubrum               | 512 | Myrmecælurus                   | · · · · • | 622 |
| impudicus                  | 513 | Myrmeleon                      |           |     |
| keeleri374,                | 513 | agriope                        | • • • • • | 618 |

| Myrmeleon crudelis 61          | 18                   | Orchelimum concinnum      |                                         | 407           |
|--------------------------------|----------------------|---------------------------|-----------------------------------------|---------------|
| heriocles                      |                      | erythrocephalum           |                                         |               |
| tectus                         | 19                   | fidicinium                |                                         | 529           |
| Myrmeleonidæ 61                | 17                   | glaberrimum               |                                         | 526           |
| Myrmeleonini                   |                      | gracile                   |                                         | 528           |
| Myrmica rubra 55               | 51                   | herbaceum                 |                                         | 527           |
| Myxosporidia 21                | 17                   | militare                  |                                         | 407           |
| Myzomenia banyulensis 53       | 38                   | minor                     |                                         | 529           |
|                                |                      | nitidum                   |                                         |               |
| Naobranchia pomolobi347, 34    | 48                   | placidum                  |                                         | 636           |
| Necrophagus 33                 | 35                   | pulchellum                | 407,                                    | 527           |
| Nematura                       | 10                   | spinulosum                |                                         | 528           |
| Nemobius ambitiosus 41         | īĭ                   | validum                   |                                         | 528           |
| carolinus41                    |                      | vulgare                   |                                         |               |
| cubensis                       | 11                   | Oreohelix cooperi         |                                         | 368           |
| fasciatus socius               |                      | Orgyia antiqua            |                                         | 551           |
| Neoblattella detersa375, 37    |                      | Ornithodes harrimani      |                                         | 597           |
| Neoconocephalus mexicanus      | 02                   | Orocharis saulcyi         |                                         |               |
| palustris 40                   |                      | Orphulella olivacea       |                                         | 491           |
| velox40                        |                      | pelidna                   | 392, 393,                               | 490           |
| Neoperla bolivari              | 11                   | speciosa                  |                                         | 488           |
| nigriceps                      |                      | Orthoclase                |                                         | 5, 7          |
| phantoma60                     | õš l                 | Orthocyclops              | 37                                      | ', <b>6</b> 0 |
| plutonis                       | 10                   | Orthopristis chrysopterus | 343,                                    | 355           |
| Neophasia 176, 17              | 77                   | Oryzomys dryas            |                                         | 10            |
| menapia                        | 77                   | minutus                   | 10                                      | ), 11         |
| terlooti                       |                      | Osmia kirbyana            |                                         | 638           |
| Neotettix coarctatus 38        |                      | Osteoglossum bicirrhosum  |                                         | 229           |
| variabilis                     |                      |                           |                                         |               |
| Neritina 209, 2                | 10                   | Pachycheilus              | 911                                     | 212           |
| Nesoleon 62                    | $\tilde{2}\tilde{2}$ | conicus                   |                                         |               |
| Nortonella 64                  |                      | nigrata                   |                                         |               |
| Notropis bifrenatus            |                      | violaceus                 | 911                                     | 210           |
| chalybæus349, 68               |                      | Pachypops furcræus        |                                         | 277           |
| cornutus349, 3                 | 57                   | Pachypsylla venusta       |                                         |               |
| hudsonius amarus349, 3         | 57                   | Palæoteleia               |                                         | 627           |
| photogenis amœnus 34           | 49                   | oxyura                    | · · · · · · · · · · · · · · · · · · ·   | 638           |
| procne                         |                      | Palæovespa gillettei      | • • • • • • • • • • • • • • • • • • • • | 640           |
| whipplii analostanus349, 6     | 57                   | wilsoni                   |                                         |               |
| Nymphaline 10                  | 67                   | Palingenia                |                                         | 613           |
| - · v r                        | 1                    | Palpares                  |                                         |               |
| Ochmachanthus flabelliferus 2' | 70                   | Palparini                 | ••••••                                  | 621           |
| taxistigma                     |                      | PalpariniPaludestrina     |                                         | 212           |
| Odontoxiphidium apterum 4      |                      | Pandarus sinuatus         |                                         | 342           |
|                                | 64                   | Papilio                   | 163, 167.                               | 168           |
| Odynerus capra639, 6-          | 40                   | asterius                  |                                         | 167           |
| parietum                       |                      | commixtus                 |                                         | 179           |
| percontusus 4                  |                      | dardanus                  | 169.                                    | 188           |
| tuberculocephalus639, 6        | 40                   | glaucus                   | 167,                                    | 171           |
| wilmattæ6                      | 39                   | g. canadensis             |                                         | 171           |
| Œcetina parishi                | 31                   | g. glaucus                | 170,                                    | 171           |
| Olencira prægustator           | 54                   | mimeticus                 |                                         | 179           |
| Oligacanthopus                 | 76                   | philenor165-              | 167, 170.                               | 171           |
| prograptus 3                   | 75                   | polytes                   |                                         | 166           |
| Oligoclase                     | 8                    | rex                       |                                         | 179           |
| Onclus 69                      | 322                  | troilus                   |                                         | 167           |
| Opeas beckianum 45             | 30                   | turnus                    | 170,                                    | 171           |
| gracile 43                     | 30                   | Papilioninæ               |                                         | 163           |
| micra 43                       | 30                   | Paracosmus antiqua        |                                         |               |
| Orchelimum agile 52            | 25                   | insolens                  |                                         | 643           |
| aamnastra 5                    | 20                   | morrisoni                 |                                         |               |

| Paracyclops                     | 48, 53 | 3, 60   | Pimelodella gracile                          | 263          |
|---------------------------------|--------|---------|----------------------------------------------|--------------|
| Paraglenurus                    | .620,  | 622     | Pimelodus clarias                            | 263          |
| Paralichthys dentatus           | .342,  | 356     | Pimephales notatus                           | 348          |
| Paratettix                      |        |         | Pisidium abditum                             | 226          |
| meridionalis                    |        | 388     | variabile                                    | 226          |
| rugosus                         | .388,  | 389     | Plagioclase                                  | 4–8          |
| toltecus                        |        |         | Plagioscion squamossissimus                  | 277          |
| Paroxya atlantica               |        |         | Planorbidæ                                   | 431          |
| a. paroxyoides                  |        |         | Planorbis209, 210                            |              |
| floridana                       | .398.  | 516     | antrosus                                     |              |
| scudderi                        |        | 517     | cultratus                                    |              |
| Paxilla obesa                   |        |         | deflectus                                    |              |
| Pechipogon barbalis             | •••••  | 550     | exacutus                                     |              |
| Pegmatite                       |        | 7 8     | guadaloupensis                               |              |
| Pelamys alleterata              |        | 346     | lucidus                                      |              |
| Pellegrinina                    | •••••• | 250     | parvus                                       |              |
| heterolepis                     |        |         | siliceus                                     |              |
|                                 |        |         | trivolvis                                    |              |
| Perca flavescens347,            | აა∠,   | 601     | umbilicatellus                               |              |
| Periolystus                     |        |         |                                              |              |
| Periplaneta americana           | .380,  | 381     | Plecia axeliana646                           |              |
| australasiæ376,                 | 380,   | 552     | melanderi646                                 |              |
| brunnea                         | .376,  | 381     | plagiata                                     | 647          |
| orientalis                      | .550,  | 552     | Plecostomus plecostomus                      | 274          |
| Perla georigiana                |        |         | Plectoptera poeyi375, 376                    | , 382        |
| xenocia                         |        |         | Pleuroceratidæ                               |              |
| Perlidæ                         |        |         | Pleurodonte formosa429                       |              |
| Perlodes signata                |        | 608     | Podisma variegata                            |              |
| slossonæ                        |        | 608     | Pogonias cromis342                           | , 355        |
| _ tibialis                      |        | 608     | Polistes328                                  | , 638        |
| Peropyrrhicia                   | 64     | ŀ, 70 ∣ | kirbyanus                                    | 638          |
| Perrhybris (Mylothris)          | .172,  | 177     | nestor                                       | 333          |
| Petromyzon marinus              |        | 347     | primitiva                                    | 639          |
| Phalacrocera                    |        | 603     | Polita hammonis                              | 369          |
| neoxena                         | .603-  | -605    | Polyangæus maculatus                         | 599          |
| replicata                       | .603-  | -605    | Polygyra devia blandi                        | 368          |
| tipulina                        | .603,  | 604     | d. oregonensis                               | 368          |
| Phalascusa cruciger             |        |         | ptychophora                                  |              |
| hildebrandti                    |        | 617     | p. castanea                                  |              |
| Pharmacophagus163, 164,         |        |         | Polymera                                     |              |
| Phasmide                        | 374    | 384     | Pomatias209                                  | , 210        |
| Phassus schamyl                 | ,      | 550     | Pomatiopsis lapidaria<br>Pomolobus æstivalis | 428          |
| Philanthus punctata             |        |         | Pomolobus æstivalis                          | 348          |
| Philenor antenor                |        |         | mediocris                                    | 354          |
| aristolochiæ                    |        |         | pseudoharengus, 346, 347, 354                | . 356        |
| Philonthus æneus                | •••••  | 335     | Pomoxis annularis                            |              |
| Phœtalia                        |        |         | sparoides                                    |              |
| lævigata                        |        |         | Poronotus triacanthus342                     | 255          |
| Pholis fasciatus                |        |         | Porphyrite4                                  |              |
| Phylidorea subcostata           |        |         | Potamopyrgus coronatus crystal-              |              |
| Phyllodromia cubensis           |        |         | linus                                        |              |
|                                 |        |         | Potamotrygon hystrix                         |              |
| germanicaPhylloicus abdominalis | •••••  | 690     |                                              |              |
| harrian                         | •••••  | 690     | Potomarrhaphis guianensis                    |              |
| brevior                         |        |         | Prionotus evolans strigatus343               | , 550        |
| Phyllotia haggardi              |        |         | Prolabia arachidis375                        | , 311<br>277 |
| Phyllotis haggardi              |        |         | unidentata                                   |              |
| Physa                           |        |         | Protection and a striction                   | 649          |
| gyrina                          |        |         | Protolomatia antiqua                         | 699          |
| rivalis                         | •••••  | 421     | Protoplectron                                | 990          |
| Physidæ<br>Pierinæ              | 167    | 174     | Psectrogaster                                |              |
| Dimeledelle eristete            | .107,  | 262     | amazonicus                                   |              |
| Pimelodella cristata            |        | ∠0ე     | ciliatus                                     | ∠o∪          |

| Pseudancistrus nigrescens           | 274 | Rhipidia multiguttata         |                   | <b>582</b> |
|-------------------------------------|-----|-------------------------------|-------------------|------------|
| Pseudisotina                        |     | schwarzi                      |                   |            |
| Pseudomasaris                       | 328 | (Arhipidia) shannoni          |                   |            |
| vespoides                           |     | subpectinata                  | <b></b>           | 582        |
| Pseudopomala brachyptera            | 486 | Rhœnanthus posticus           |                   | 613        |
| Psinidia fenestralis374             | 504 | Rhypholophus rubellus         |                   | 591        |
| Psithyrus sp                        | 333 | Roccus chrysops               |                   | 353        |
| Psocidæ                             |     | lineatus                      | <b></b>           | 353        |
| Psocus semistriatus                 | 611 | Romalea microptera            |                   |            |
| stigmosalis                         |     | •                             |                   |            |
| Psylla astigmata                    |     | G-1-4                         |                   | 100        |
| caudata                             |     | Salatura                      |                   |            |
| Psyllites                           |     | Salmo fario                   |                   |            |
| crawfordi                           |     | fasciatus                     |                   | 230        |
| Pterophylla perspicillatus          |     | Salvelinus fontinalis         |                   |            |
| Punctum conspectum                  | 370 | Sarcocystis leporum           |                   |            |
| pygmæum                             |     | muris                         |                   |            |
| Pupilla muscorum                    | 223 | rileyi                        | · · · · · · · · · | 218        |
| Pupillidæ                           | 431 | setophage                     |                   | 217        |
| Pupoides marginatus                 | 431 | Sarcosporidia                 |                   |            |
| Pycnophlebia speciosa               | 636 | Satyrinæ                      |                   |            |
| Pycnoscelus surinamensis. 376, 380, | 381 | Scapteriscus abbreviatus      | 374,              | 376        |
| Pygocentrus piraya                  | 251 | Sceliphron cementarius        |                   | 315        |
| scapularis                          |     | Schilbeodes gyrinus           |                   |            |
| Pygopristis denticulatus            |     | insignis                      |                   |            |
| Pyramidula (Planogyra) asteris-     |     | Schistocerca alutacea         | 395,              | 506        |
| cus                                 | 224 | americana395                  | , 396,            | 506        |
| cronkhitei                          |     | damnifica                     |                   | 506        |
| c. anthonyi                         |     | d. calidior                   |                   |            |
| occidentalis                        |     | obscura                       | 395,              | 508        |
| Pyrgocorypha uncinata               |     | rubiginosa                    | • • • • • • •     | 508        |
| Pyrite                              | 5   | Schizodon fasciatus           |                   |            |
| Pyroxene 4,                         | 6.7 | Sciænops ocellatus            |                   |            |
| Pyrrhocoris apterus                 |     | Scirtetica marmorata          |                   |            |
| Pyrrhulina filamentosa.             |     | m. picta                      |                   |            |
|                                     | 200 | Sciurus hoffmanni             |                   |            |
| Querta                              | 70  | h. söderströmi                |                   | 14         |
| Quartz5,                            | 1,0 | irroratus                     |                   | 14         |
| D 1                                 |     | Scoliodon terræ-novæ          |                   |            |
| Rachycentron canadus                | 343 | Scomber colias                |                   | 346        |
| Radinotatum brevipenne peninsu-     | 200 | Scudderia cuneata             |                   |            |
| lare376,                            | 389 | curvicauda                    |                   |            |
| Raja eglanteria                     | 353 | furcata                       |                   |            |
| erinacea                            |     | pistillata                    |                   | 519        |
| lævis                               |     | septentrionalis               |                   | 515        |
| ocellata                            |     | texensis                      |                   |            |
| Reithrodontomys söderströmi         | 11  | truncata                      |                   |            |
| Rhabdomastix (Sacandaga) cau-       | F00 | Segmentina obstructa geoscopu | 18                | 431        |
| data                                |     | Semotilus atromaculatus       | 348,              | 356        |
| Rhamdella eriarcha                  |     | bullaris                      |                   |            |
| foina                               |     | Seriola zonata                |                   |            |
| ignobilis                           | 203 | Serrasalmus gymnogenys        |                   | 201        |
| leptosoma                           |     | rhombeus                      |                   | 201        |
| Rhamdia holomelas                   |     | Setophaga ruticillaSilpha     | •••••             | 411<br>225 |
| h. rupununi                         | 258 | thoracica                     | ••••••            | 226        |
| sebæRhaphidolabis flaveola          | 501 |                               |                   |            |
| noveboracensis                      | 601 | Solvsbergite                  | ••••••            | 67         |
| polymeroides                        |     | Sorubim lima                  | ••••••            | 263        |
| Rhinichthys atronasus350,           |     | Spharagemon bolli             |                   |            |
| Rhipidia annulicornis               | 582 | collare wyomingianum          |                   |            |
| (Rhipidia) bryanti                  | 580 | crepitans                     |                   |            |
| (xumpiuia) bi yanu                  | 000 | orehrans                      |                   | 00X        |

| Spharagemon saxatile                  |      | Thesprotia graminis           |      |              |
|---------------------------------------|------|-------------------------------|------|--------------|
| Spheroides maculatus                  |      | Thomasomys cinereus           |      | 12           |
| Sphinx convolvuli                     |      | paramorum                     | 11,  | , 13         |
| Sphyræna borealis                     | 343  | rhoadsi                       |      | 12           |
| Squatina squatina                     | 342  | Thysanophora ingersolli       | 8    | 364          |
| Stagmomantis carolina                 | 382  | subaquila                     | 4    | 430          |
| Stenacris vitreipennis                |      | Tipulidæ                      | {    | 579          |
| Stenares                              |      | Tirumala                      | :    | 179          |
| Stenobothrus curtipennis              |      | (Melinda) formosa             |      | 179          |
| Stenotomus chrysops                   |      | mercedonia                    |      | 179          |
| Sternarchus albifrons                 |      | morgani17                     |      |              |
| Sternopygus macrurus                  |      | Titanite                      |      |              |
| Stigmus universitatus                 |      | Tomatares                     |      |              |
| Stilpnochlora marginella374-          |      | Trachycorystes galeatus       |      |              |
| Stilpnotia salicis                    | 550  | Trachyte                      |      | <b>-</b> ~ 4 |
| Stiphroneura                          | 622  | Tralia pusilla                |      | 431          |
| Stizostedion vitreum                  |      | Trichiurus lepturus           |      |              |
| Stoneiella                            | 971  | Tricyphona calcar             |      |              |
| leopardus                             | 071  | katahdin                      |      | 500          |
|                                       |      |                               |      |              |
| Striatura exiguum                     | 224  | vernalis59                    | 0,   | 950<br>950   |
| milium                                | 224  | Triglops pingeli              |      |              |
| Sturisoma monopelte                   |      | Trigona                       | : 1  | 201          |
| rostrata                              | 276  | Trimerotropis citrina39       | 4,   | 504          |
| Subulina octona                       | 430  | maritima                      | •    | 503          |
| Succinea                              |      | Triogoma exculpta             |      |              |
| avara                                 | 225  | Triportheus flavus            | :    | 251          |
| barbadensis                           |      | Tropicorbisliebmanni          | :    | 212          |
| bayardi <b>222</b> ,                  |      | liebmanni                     | :    | 212          |
| chrysis                               |      | Tropidonotus vibakari         | :    | 292          |
| nuttalliana                           | 371  | Truncatella20                 |      |              |
| oregonensis222,                       | 371  | bilabiata42                   |      |              |
| ovalis                                | 225  | Truncatellidæ42               | 8,   | 429          |
| retusa                                | 225  | Trypoxylon frigidum           |      | 332          |
| Succineidæ                            | 431  | Tryxalis brevicornis          |      | 485          |
| Suhpalasca orsedice                   | 617  | Tudora                        |      | 426          |
| Supella supellectilium375, 378-       | -380 | Tylosurus marinus34           | 3,   | 352          |
| Surirella                             |      | raphidoma                     |      | 343          |
| Sycotypus567                          |      | •                             |      |              |
| Sylvilagus andinus                    | 15   | 77 1                          |      | ~==          |
| a. chimbanus                          | 15   | Umbra pygmæa351, 35           |      | 357          |
| Sympherobius intervenalis             | 630  | Uralite                       |      | . 8          |
| modestus                              | 631  | Urophycis regius34            | :6,  | 356          |
| m. convexus                           |      |                               |      |              |
| Synodus fœtens                        |      | Vallonia pulchella            |      | 223          |
| Syrbula admirabilis.                  |      | Vanessa milberti              | •••  | 165          |
| Syrichthus malvae                     |      | Vertigo coloradensis basidens | •••  | 370          |
| byfichthus marvae                     | 990  | gouldi                        | •••  | 222          |
|                                       |      | modesta parietalis            | •••  | 270          |
| Tafalisca lurida375                   | .412 | modesta parietalisovata22     |      | 270          |
| Tasitia                               |      | Ovata22                       | ω,   | 0/0          |
| Taumatopoca pinivora                  |      | ventricosa                    | •••  | 223          |
| Tautoga onitis                        | 356  | v. elatior                    | •••  | 370          |
| Teredo                                | 536  | Vespa atavina                 | •••  | 439          |
| Tetragonopterus argenteus             | 242  | Vespula                       |      | 328          |
| chalceus                              |      | maculata, 304, 307, 309, 315  | z, i | 315,         |
| chrysargyreus                         |      | 32                            | ζZ,  | ರರರ          |
| Tettigidea lateralis                  | 380  | Vitrea binneyana              |      |              |
| Tettigidea lateralisspicata           | 380  | Vitrina alaskana              | •••  | 369          |
| Tettigoniidæ 374                      | 308  | limpida                       | •••  | 223          |
| Teucholabis flavithoray               | 589  |                               |      |              |
| Teucholabis flavithorax rubescens 582 | 583  | Wattenwyliella                |      | 370          |
| Themporhis                            | 901  | Wastenwynena                  | •••  | 622          |
|                                       |      |                               |      |              |

| 690 PROCEEDINGS OF THE ACADI                               | MY OF [Dec.,           |
|------------------------------------------------------------|------------------------|
| Xiphidium brevipenne. 530 Xiphochar fasciatum. 530 ogilvie | 251<br>251, <b>251</b> |
| nigropieuroides                                            | 536, 540               |
|                                                            |                        |

## GENERAL INDEX.

## 1914.

Adams, Frank Dawson, elected a correspondent, 607. Additions to Museum, 668.

Aebley, Jacob, janitor, 668.

Alexander, Charles P. New and littleknown craneflies from the United States and Canada (Tipulidæ, Diptera) (Plates XXV, XXVI, XXVII), 566, 579.

Allen, Ada, aid in herbarium, 668.
Andrews, Roy Chapman. Notice of a rare ziphioid whale, Mesoplodon densirostris, on the Jersey coast (Plates XVI, XVII, XVIII), 372,

Ashton, Thomas G., M.D., member of Council, 667.

Banks, Nathan. New neuropteroid insects, native and foreign (Plate XXVIII), 566, 608.

Barringer, Daniel Moreau. Further notes on Meteor Crater, Arizona (Plates XXI, XXII, XXIII), 556, Arizona

Biddle, Thomas, M.D., member of Library Committee, 1. Member of Council, 667.

Biological and Microscopical Section, report of, 664.

Botanical Section, report of, 665.
Boyer, Charles S. A new diatom
(Plate X), 219, 227. Report of
Biological and Microscopical Section, 665.

Bradley, James Chester et al. biological reconnaissance of the Okefenokee swamp in Georgia, 607.
Bradner, N. Roe, M.D., announcement of death of, 208.

Brown, Amos P., member of Committee on Hayden Memorial Award, 196. Brown, Amos P., and Henry A. Pilsbry. Fresh-water mollusks of the Oligo-cene of Antigua (Plate IX), 208, 209.

Brown, Stewardson, assistant to Curators, 667. Member of Committee on Instruction and Lectures, 2. Report of Botanical Section, 665. By-Laws, Committee on, 227.

Cadwalader, John, member of Committee on Finance, 1. Standing Committee on By-Laws, 227. Vice-President, 667.

Calvert, Philip P., Ph.D., member of Council, 668. On epiphytic Bromeliads of Costa Rica and their animal inhabitants (no abstract), 2.

Chapman, Frank M., elected a correspondent, 228.

Clappier, Charles, janitor, 668.
Cockerell, T. D. A. Miocene fossil insects, 633, 634.
Committee on By-Laws, 227.

Conklin, Edwin, G., Ph.D., President, 667.

Corresponding Secretary, report of, 650. Crawley, Howard. Two new Sar-cosporidia, 214, 227. The evolution of Sarcocystis muris in the intestinal cells of the mouse (Plate XV), 372, 432.

Cresson, Ezra T., Jr., assistant to Curators, 667.

Curators, report of, 656. Curie, Marie, elected a correspondent, 228.

Davis, William J., elected a member, 228.

Dercum, Ernest Comly, announcement of death of, 227.

Dixon, Edwin S., member of Committee on Finance, 1. Member of Council, 667

Dixon, Samuel G. Report of Curators, 656. President and Curator, 667.

Elections in 1914, 668.

Entomological Section, report of, 665. Entomological Section, report of, 665. Fowler, Henry W. Fishes collected by the Princeton Expedition to North Greenland in 1899, 208. Description of a new Blenny from New Jersey, with notes on other fishes from the Middle Atlantic States, 208, 342. Fishes from the Rupununi River, British Guiana, 229. Fishes collected by the Peary Relief Expedition of 1899, 359. Assistant to Curators, 667. Assistant to Curators, 667.

Fox, Henry. Data on the orthopteran faunistics of eastern Pennsylvania

and southern New Jersey, 441.

Fox, William J., assistant Librarian,
667. Member of Publication Committee, 1.

Furness, Walter Rogers, announcement of death of, 208.

Fansler, Thomas L., elected a member,

Gottschall, A. H., elected a member, 607.

Hayden Memorial Award, 227.

Heath, Harold. Certain features of solenogastre development, 372, 535. Heckler, Adam E., janitor, 668. Heckler, Daniel, janitor, 668. Heller, Edmund, elected a correspond-

ent, 228.

Horstmann, Walter, member of Committee on Accounts, 667.

Houston, Edwin J., announcement of death of, 208. Hughes, William E., M.D., member of

Council, 667.

Index to genera, etc., 668.

Keeley, Frank J. Notes on some igneous rocks at Ogunquit, Maine, and Pigeon Cove, Mass, 1, 3. Member of Library Committee, 1. Curator of William S. Vaux Collections, 2. Member of Council, 667.

Kirkpatrick, George E., announcement of death of, 227

Kitasato, Shibasaburo, elected a correspondent, 228

Knowles, George L., announcement of death of, 633.

LeConte, Robert G., M.D., member of Council, 667.

Librarian, report of, 650.

Lyman, Benjamin Smith. Report of Mineralogical and Geological Section, 666.

McCadden, David M., taxidermist, 668.

McFarland, Joseph, M.D., elected a member, 196.

McIndoo, N. E., Ph.D. The olfactory sense of Hymenoptera (Plates XI, XII), 196, 294. The scent-producing organs of the honey-bee (Plates XIX, XX), 372, 542.

Magee, Horace, announcement of death of, 633.

Magee, J. Ronaldson, announcement of death of, 607

Mearns, Edgar A., elected a correspondent, 228.

Meunier, Stanislas. Observations sur la théorie générale des phénomènes glaciaires et sur les Galets striés, 566.

Miller, Edmund, elected a correspondent, 228.

Mineralogical and Geological Section, report of, 666.

Mitchell, Silas Wier, M.D., announce-ment of death of, 2. Moore, J. Percy, Ph.D., member of

Committee on By-Laws, 227. Report of Corresponding Secretary, 650. Assistant to curators, 667.

Morris, Charles, member of Committee on Instruction and Lectures, Member of Council, 667. Member of Committee on Accounts, 667. Morris, Effingham B., member of Committee on Finance, 1.

Morris, George Spencer, member of Committee on Instruction and Lecapier, Arthur Howell, election as Napier,

Nolan, Edward J., M.D., member of Publication Committee, 1. Report of Recording Secretary, 649. Report of Librarian, 652.

Officers 1915, 667.

Ornithological Section, report of, 666. Osborn, Henry Fairfield, receives Hayden Memorial Medal, 227, 607. Notice of, 227.

Penrose, Charles B., M.D., member of Council, 667.

Penrose, R. A. F., Jr., member of Committee on Hayden Memorial Award, 196.

Pilsbry, Henry A., Sc.D., member of Publication Committee, 1. Member of Committee on Instruction and Description of a new Lectures, 2. echinoderm (Plate VIII), 206. Curators, report of, 667.

Pilsbry, Henry A., and Amos P.
Brown. The method of progression
of Truncatella (Plate XIV), 227,
426. List of land and fresh-water
mollusks of Antigua, 227, 429.
Reulter Edward P. Miniory in North

Poulton, Edward B. Mimicry in North American butterflies (Plate V), 1, 161. Prime, Frederick, member of Committee on Hayden Memorial Award,

Ramsden, Charles T., elected a correspondent, 228.

Recording Secretary, report of, 649. Reese, Albert M. The vascular system of the Florida alligator (Plate XIII), 227, 413. Rehn, James A. G., assistant to Curators, 667.

Rehn, James A. G., and Morgan Hebard. A study of the species of the genus Dichopetala (Orthoptera: Tettigonidæ), 64. On the Orthoptera found on the Florida Keys and in extreme southern Florida, 373.

Report of Biological and Microscopical

Section, 664. Report of Botanical Section, 665.

Report of Corresponding Secretary, 650.

Report of Curators, 656.

Report of Entomological Section, 665.

Report of Librarian, 652. Report of Mineralogical and Geo-

logical Section, 666. Report of Ornithological Section, 666. Report of Recording Secretary, 649.

Report of Sections, 664. Rhoads, Samuel N., member of Com-

mittee on Accounts, 667. ichmond, Charles W., elected a

Richmond, Charles correspondent, 228. Rothermel, John G., member of Com-

mittee on Accounts, 667.

Rothschild, N. Charles, elected a correspondent, 228. Schaeffer, Arthur W., elected a member, 228.

Sections, reports of, 664.

Sharp, John S., elected a member, 228. Skinner, Henry, M.D., member of Publication Committee, 1. Report of Entomological Section, 665. Member of Council, 667. Assistant

to Curators, 667. Smith, Burnett. Morhologic sequences in the canaliculate Fulgurs (Plate

XXIV), 566, 567.

Spaeth, Reynold A. The distribution of the genus Cyclops in the vicinity of Haverford, Pennsylvania (Plates I-IV), 21.

Standing Committees, 668. Stewart, Thomas S., member of Committee on Accounts, 667.

Stoddart, Curwen, Jr., announcement of death of, 227.

Stone, Witmer, member of Library Committee, 1. Member of Publication Committee, 1. On a collection of mammals from Ecuador, 9. Member of Standing Committee on By-Laws, 227. Report of Curators, 664. Report of Ornithological Section, 666.

Suess, Edward, announcement of death of, 566.

Tague, James, janitor, 668

Thompson, Joseph C. Contribution to the anatomy of the Ilysidæ, 285. Trotter, Spencer, M.D., member of Council, 667.

icker, Henry, M.D., member of Library Committee, 1. Member of Tucker, Henry, Committee on Instruction and Lectures, 2. Curator, 667.

Vanatta, E. G. Land and fresh-water shells from Eastern Canada, 222, 227. Montana shells, 227, Assistant to Curators, 667. 367.

Vaux, George, Jr., member of Committee on Finance, 1. Member of Library Committee, 1. Solicitor of Academy, 2. Treasurer, 667.

Walcott, Charles D., member of Committee on Hayden Memorial Award,

Wardle, Harriet Newell, assistant to Curators, 667. Description of a Tsantsa in the ethnological collection of the Academy, with notes on other specimens (Plates VI, VII), 196, 197.

Welles, Charles S., announcement of death of, 208.

Werner, Alfred, elected a correspondent, 607

Whelen, William N., announcement of death of, 566.

Wherry, Edgar T., member of Committee on Hayden Memorial Award, 196.

Wilde, Furman Sheppard, assistant in library, 668.

Willcox, Joseph. C Lea Collections, 2. Custodian of Isaac

Williamson, Charles Sumner, announcement of death of, 227.

Winsor, James D., member of Committee on Finance, 1.

Wistar, Thomas, M.D., announcement of death of, 208.

Wood, Stuart, announcement of death of, 208

Wright, William Redwood, announcement of death of, 633.